





AvRDP OUTCOMES


Peter Li
Chair, AvRDP
22 Aug 2019

AvRDP Participating Airports



6+5 AvRDP AIRPORTS

AvRDP Airport		Climatological regime	Weather elements to be studied in AvRDP
Charles de Gaulle Airport (CDG)		Mid-latitude in Northern Hemisphere Location: Inland	Winter weather - snowfall, icing, low temperature Fog
Hong Kong International Airport (HKG)		Subtropical in Northern Hemisphere Location: Surrounded by water Next to high mountain	Convection and Thunderstorm Low visibility and ceiling
O.R. Tambo International Airport (Johannesburg Airport) (JNB)		Subtropical in Southern Hemisphere Location: Inland	Convection Fog
Shanghai Hongqiao Airport (SHA)		Subtropical/mid-latitude in Northern Hemisphere Location: Inland not far away from River Estuary and East China Sea	Convective weather
Toronto Pearson International Airport (YYZ) and Iqaluit Airport (YFB)	 	Mid-latitude in Northern Hemisphere Location: Inland but not far away from Lake High-latitude in Northern Hemisphere Location: On Frobisher Bay	Winter weather – snowfall, icing, precipitation type and amount, visibility, wind speed, direction shear, and gust, turbulence, and low ceilings Convective Weather Arctic weather – Winds, blowing snow, fog, visibility, ceiling

Changi Airport (SIN) 	Tropics 01°21'33.16"N 103°59'21.5"E 2 Runways: 02/20 Location: Coastal	Convective Thunderstorm
Pulkovo Airport (LED) 	Mid-latitude in Northern Hemisphere 59° 48' N 30° 15' E 2 Runways: 10/28 Location: Inland but between 2 Lake	Visibility and Cloud Ceiling
Indira Gandhi International Airport (IGI) 	Subtropic in Northern Hemisphere 28°34'07"N 77°06'44"E 3 Runways: 09/27 10/28 11/29 Location: Inland	Summer Convection Winter Fog/Low VIS
Tokyo Airport (Narita/Haneda Airport) 	Subtropic in Northern Hemisphere 35°45'55"N 140°23'08"E 2 Runways: 16/34 Near shore	Summer Convection A/P TS, Low VIS, Cloud ceiling winds ATC Sectors Convection Low level winds

Airport	Phase I (MET capability)	Phase II (MET-ATM translation)	User Benefit Demonstrated
CDG	High resolution nowcast model Winter fog nowcast Prob temp forecast	PEIP Runway State Prediction CDM@CDG	CDM@CDG Daily operation Taxi time/Fuel/CO2/queueing/delay improved (saved)
HKG	Seamless blended nowcast High resolution AVM Satellite nowcast	Capacity Forecast Airport Departure Rate Simulation Optimal Trajectory	Daily airport capacity forecast Departure nowcast Optimised flight path
JNB	Convection nowcast High resolution model Lightning Nowcast	Impact Metrics Delay/Rate reduction/Stoppage	Impact providing to ATM Departure time and airport efficiency improved
SHA	Rapid Refresh Multi-module nowcast	Air route availability TRACON weather impact	Match better ATM needs Safety/regularity/efficiency improved
YYZ/YFB	Advanced airport observation equipment High resolution models Observation blended nowcast	Stopped	Failed to connect ATM
IGI	New airport instruments Fog model/satellite nowcast Thunderstorm/Dust Storm NWP	Upgrade weather briefing system	Better situation awareness
LED	New airport instruments Hourly updated NWP ABL Visibility and ceiling nowcast	Testing MeteoExpert Nowcast + Alpha ATM	More accurate aerodrome forecast & warning Better pre-operation briefing Improved capacity
NRT/HND	High resolution rapid output model nowcast	ATMet Category Impact of Wx Element prediction	Capacity nowcast Runway change Deviation
SIN	On-going – high resolution model	Not started	Not Yet

4 COMPONENTS

A. Nowcasting & mesoscale modelling Component

- (i) Radar-based nowcasting system or satellite-based nowcasting system, including human-machine interfaced and expert system-based system; **(Yes)**
- (ii) Convection-resolving mesoscale or microscale NWP model; **(Yes)**
- (iii) Blending of observations with high resolution NWP model; **(Yes)**
- (iv) Blending of radar/satellite-based nowcasting products with NWP system **(some)**;
and
- (v) Ensemble/probabilistic nowcasting product **(few)**


B. Verification Component **(few, conventional skill scores)**

C. MET-ATM Integration **(most)**

D. Capacity Building Component **(2 workshops + 1 Seminar?)**

ATM IMPACT

- Airport Capacity **(YES)**
- Airspace Capacity **(YES)**
- Arrival/Departure Delay **(YES/FEW)**
- Fuel consumption **(FEW)**
- Aircraft de-icing **(FEW)**
- Lightning strike affecting ground ops **(FEW)**



CAPACITY BUILDING

- ▶ Workshop I: Aviation Nowcasting and Mesoscale NWP 22-24 July 2016, Hong Kong (<http://wsn16.hk>)
- ▶ **Workshop II:** WMO Voluntary Cooperation Programme (VCP) on the MET-ATM translation and integration, 8-10 October 2018, Hong Kong (https://worldweather.wmo.int/vcp_2018/index.php)
- ▶ Seminar: AvRDP Concluding Meeting, 19-22 Aug 2019, Pretoria, South Africa (<https://avrdp.hko.gov.hk/meeting/seminar2019>)

AV001 FLIGHT

Nov 2014	Endorsement of the AvRDP proposal by WWRP SSC
Nov 2014 – Feb 2015	Formation of AvRDP SSC and identification of AvRDP Participants
24 – 26 Jun 2015	Kick-off Meeting cum Science Meeting
May 2015 – 2017+	Phase I – MET capacity research
May 2015 - Oct 2015	1 st IOP for convective weather (over Airports in Northern Hemisphere)
Nov 2015 – Mar 2016	1 st IOP for winter weather, visibility and ceiling (over Airports in Northern Hemisphere)
Dec 2015 – Mar 2016	2 nd IOP for convective weather (Southern Hemisphere)
May 2016 – Jul 2016	3 rd IOP for convective weather (Northern Hemisphere)
Nov 2016 – Mar 2017	2 nd IOP for winter weather, visibility and ceiling (Northern Hemisphere)
May 2015 – Jul 2017	Nowcasting research including MET verification on convective weather
Nov 2015 – Jul 2017	Nowcasting research including MET verification on winter weather, visibility and ceiling
20 – 22 Jul 2015	1 st AvRDP Training Workshop on aviation nowcasting and mesoscale modelling
22 – 23 Jul 2016	2 nd SSC Meeting
25 – 29 Jul 2016	Preliminary Phase I results presented in WWRP Symposium on Nowcasting and Very-short-range Forecast
Jul 2016 – Sep 2019	Phase II – MET-ATM impact translation and validation (some airports started later)
Jul 2016 –	Research on MET-ATM impact translation
Jul 2017 –	Demonstration of MET-ATM impact
6 - 10 Nov 2017	AeroMetSci-2017 Conference & 3 rd SSC Meeting
Jan 2018	4 more airports joined the Project
8 -10 Oct 2018	2 nd AvRDP Training Workshop on ATM-MET integration
11 – 12 Oct 2018	4 th SSC Meeting
Oct 18 – Sep 2019	Continue MET-ATM impact translation and demonstration
Aug 2019	Concluding Meeting & Seminar
	Extended Aviation Research Project ?

Phase I

Phase II

Arrive On time





CONTRIBUTIONS TO ASBU

B0 (2013+)

AMET-B0/1	Meteorological observations products	 
AMET-B0/2	Meteorological forecast and warning products	 
AMET-B0/3	Climatological and historical meteorological products	 
AMET-B0/4	Dissemination of meteorological products	 

improved situational awareness, collaborative decision-making and dynamically optimized flight trajectory planning








B1 (2019+)

AMET-B1/1	Meteorological observations information	 
AMET-B1/2	Meteorological forecast and warning information	 
AMET-B1/3	Climatological and historical meteorological information	 
AMET-B1/4	Dissemination of meteorological information	 

Meteorological forecast and warning information for automated support for decision processes or aids and performance based requirements, involving **meteorological information, meteorological information translation, ATM impact conversion and ATM decision processes.**




B2 (2025+) AND B3 (2031+)

B2 (2025+)

AMET-B2/1	Meteorological observations information	 
AMET-B2/2	Meteorological forecast and warning information	 
AMET-B2/3	Climatological and historical meteorological information	 
AMET-B2/4	Meteorological information service in SWIM	 


- **Forecast and warning services for terminal areas.**
- **Higher spatial and temporal resolution of meteorological forecasts and warnings.**
- Further development of probabilistic information derived from ensemble prediction systems

B3 (2031+)

AMET-B3/1	Meteorological observations information	 
AMET-B3/2	Meteorological forecast and warning information	 
AMET-B3/3	Climatological and historical meteorological information	 
AMET-B3/4	Meteorological information service in SWIM	 

- **Forecast and warning services for terminal areas.**
- **Higher spatial and temporal resolution of meteorological forecasts and warnings.**
- Further development of **probabilistic** forecast information.
- Further development towards a fully integrated meteorological forecast service fit for the purpose of all flight phases and ATC operations, in support of gate-to-gate seamless operations

WWRP IMPLEMENTATION PLAN



PRIORITY AA1: ADDRESS LIMITATIONS

▶ Achieved

- ▶ Identified gaps between existing MET capabilities and the ICAO GANP ATM requirements, via the AeroMetSci-2017 Conference
- ▶ Identified aviation operations' needs in terms of probabilistic/confidence information (limited)
- ▶ Improved aviation nowcasting and meososcale modelling capabilities in terminal areas
- ▶ Improved interaction/integration between MET office and ATM operations (on-going)

▶ Plan

- ▶ More aviation hazard and MET forecast capability enhancement to be studied via an extended Aviation Research Project from 2020 (subject to the endorsement by ...)

PRIORITY AA4: APPLICATIONS

► Achieved

- Identified ATM and airlines requirements (some)
- Confirmed MET is the enabler for the modernization of growing global air traffic to maintain safety, efficiency and environment responsiveness
- Translating the enhanced MET capabilities into ATM Impact parameters (on going)
- Establishing tighter interaction between MET and ATM via the Project (on going)

► Plan

- An extended Aviation Research Project to further the above applications (subject to endorsement by ...)

PRIORITY AA14: ADVANCED METHODS

► Achieved

- Developed a few nowcasting and high resolution, rapidly updated, rapidly output NWP to ATM parameter (on going)
- Employment of new MET observations for aviation studies (on going)
- Developing new techniques (e.g. multi-spectral satellite data) for identification of aviation meteorological hazards (on going)

► Plan

- An extended Aviation Research to further the development of new observations and advanced aviation meteorological information and techniques (subject to endorsement by ...)

AvRDP Website (<https://avrdp.hko.gov.hk>)



Aviation Research Demonstration Project(AvRDP)
A joint project between CAS and CAeM



Home | Participants | Documentation | Meeting | Workshop

Concluding Meeting & Seminar (19-23 August 2019)

4th SSC Meeting (11-12 October 2018)

3rd SSC Meeting (6-7 November 2017)

2nd SSC Meeting (22-23 July 2016)

Kick off Meeting (24-25 June 2015)

© 2019 Aviation Research Demonstration Project. All Right Reserved.
This web site is hosted by Hong Kong Observatory 

DRAFT

WMO Guidance on MET-ATM Integration in Support of the
Next Generation Global Navigation Aviation Plan
- Based on the CAS/CAeM Aviation Research Demonstration Project (2015 – 2019)

Table of Content

- 1 Introduction
 - 1.1 The need for enhanced MET service in ASBU/GANP
 - 1.2 WMO and ICAO Collaboration
 - 1.3 ATM Requirements
- 2 Overview of AvRDP
 - 2.1 Objectives
 - 2.2 Participating Airports (Appendix)
 - 2.3 Phase I and Phase II
- 3 Guidance (DIYNotes)
 - 3.1 Lesson learnt from AvRDP
 - 3.2 How to build your own MET Enhancement?
 - 3.3 How to translate MET to support your ATM?
 - 3.4 Resources
- 4 MET Enhancements (Phase I)
 - 4.1 Advanced Observations
 - 4.2 ATM impact related observations
 - 4.2 Nowcasting Techniques
 - 4.3 NWP for Aviation Techniques
 - 4.4 Other Technologies
- 5 MET-ATM Impacting Products/Services (Phase II)
 - 5.1 ATM Impact Parameters (capacity, delay, optimized flight, fuel consumption, etc.)
 - 5.2 Statistical Methods
 - 5.3 AI Methods
 - 5.4 Human Inputs
- 6 Aviation Verification
 - 6.1 MET verification
 - 6.2 ATM Impact verification and validation
- 7 Looking Ahead
 - 7.1 AeroMet Science Conference (Toulouse, Nov 2017) & its recommendations
 - 7.2 Confidence Information/Probabilistic Approach
 - 7.3 Future needs

Appendix - Summary of Each Participating Airport's Achievements in AvRDP

GAPS



EC-71 (2019)

44 (EC-68) Intercommission Aviation Research Project

“2019 last year of the Aviation RDP, outcomes will be reviewed by WWRP SSC in October, and CAS and CAeM will analyse the next step”

Several white lines of varying lengths and angles are positioned in the bottom right corner of the slide, creating a modern, abstract graphic element.

Feedback from workshop participants

Need to improve?


- ▶ Nowcasting
- ▶ Improve the forecast
- ▶ How to start and proceed with the collaboration with ATM
- ▶ To start identify the MET information that is important for collaboration with ATM
- ▶ Business cases for MET-ATM integration
- ▶ MET-ATM Impact translation and integration and validation
- ▶ New blending of products, visualization and impacts
- ▶ Share the workshop information with the relevant stakeholders, including ATC and airlines
- ▶ How to adapt or implement IWXXM (more on IT)



AeM LONG TERM PLAN

<https://www.wmo.int/aemp/LTP-AeM>


- Seamless regional/global models of service delivery
- Driven by user requirements
- It's all about the (best) data
- Integration and interoperability
- WMO key roles in science, technology, data and observations, including aircraft-based observations
- Roles of AMSPs – public and private sector



STAKEHOLDERS' VISIONS

(A) IFALPA Vision for the Future Weather Information (IFALPA, June 2018)

1. EFB
2. Information Uplink
3. Shared situation awareness
4. Real-time weather update
5. High resolution ground radar
6. Forecast en-route turbulence, wind, thunderstorm ...
7. Colour charts
8. Training



STAKEHOLDERS' VISIONS

(B) ECA Vision – Recommendation and action on The weather information need for safe operations (EASA Workshop. January 2018)

1. Education and training; weather hazards, mitigation
2. Improved weather briefing presentation
3. Promotion of in-flight weather information updates (EFB)
4. Pan-European high resolution forecasts - CAT, icing, surface winds, CB, winter weather
5. Development and enhancement of aircraft sensors/solutions
6. Connectivity to support in-flight updated of meteorological information (uplink)
7. Provision of enhanced meteorological information - high resolution observed and forecast meteorological information with high spatial and temporal resolution such as imagery derived from satellite and ground weather radar sources.

STAKEHOLDERS' VISIONS

(C) ICAO White Paper

- High Altitude Ice Crystals (HAIC)₉ and airframe icing;
- All forms of turbulence;
- Significant convection;
- Detection and prediction of low-level wind shear and wake vortex;
- Low visibility including fog;
- Space weather;
- Atmospheric aerosols including volcanic ash and potentially other gases;
- Observing methods (in-situ and remote sensing) and use of observations, including those from aircraft, other airborne platforms and from space;
- Nowcasting and probabilistic forecasts; and
- Seasonal (3-6 months ahead) forecasting

WMO AeroMetSci Conference 2017,

<http://www.wmo.int/aemp/AeroMetSci-2017>

Key Area 1: Aeronautical Meteorology Science

- Ice crystal icing and airframe icing research
- Turbulence research
- Significant convection research
- Wake vortex detection and prediction
- Fog/low visibility research
- Space weather research
- Atmospheric aerosols and volcanic ash research
- Advances in observing methods and use of observations
- Seamless nowcast and numerical weather prediction, probabilistic forecast and statistical methods

Key Area 2: MET-ATM Integration

- In-cockpit and on-board MET capabilities
- Terminal area and impact-based forecast
- En-route hazards information systems
- Translation of MET information for impact and risk assessment
- Collaborative decision-making (CDM), air traffic flow management (ATFM) and network management
- Trajectory-based operations (TBO), flight planning and user-preferred routing
- Use of MET information for climate-optimized trajectories

Key Area 3: Climate Change and Impact on Aviation

- Building awareness of potential impacts
- Jet stream position and intensity and related phenomena, such as CAT
- Extreme weather events and airports, changes to typical scenarios (storm surges, heat waves, visibility regimes, etc.)
- Re-evaluation of airframe/avionics resilience standards and certification
- Focus on downscaling of aviation impacts to regional and local scale

VISION



RESEARCH NEEDS (PROJECT OUTCOMES AND OTHER VISIONS)

(A) Improvement of weather information in weather phenomena

1. Ice crystal icing and airframe icing
2. Turbulence (CAT & CIT)
3. Significant Convection
4. Detection and prediction of low-level windshear and wake vortex
5. Low visibility including fog
6. Space weather
7. Atmospheric aerosole and volcanic ash (IAVW)

(B) Improvement in observation and forecasting techniques

1. Advances in observing methods and use of observations (ground base and airborne)
2. Seamless nowcast and numerical weather prediction
3. Probabilistic forecast and statistical methods (uncertainty/confidence)
4. Aviation Verification and Validation


(C) Integration of MET and ATM to support ATM/Airline operations (with user engagement)

1. Impact translation
2. Provision of EFB
3. Uplink latest weather information
4. Simulation for optimizing flights to improve safety and capacity

Trajectory-based operation (TBO)


- Seamless MET information, not bounded by FIR
- Trajectory-based operation; gate-to-gate info

Seamless nowcasting -> mesoscale -> global scale -> mesoscale -> nowcasting scale



DISCUSSION



- ▶ Priority?
 - ▶ Time frame?
 - ▶ Thread with other ASBU module?
 - ▶ Core Project or individual projects?
- 
- A series of three parallel white diagonal lines in the bottom right corner of the slide.